



T90-APK






Обозначение	Склад	Размеры				Режущая пластина	Винт	Ключ
		D	d	Z	H			
T90-D40-05-16R-APK	•	40	16	5	40	APKT1003	TC063 M2,5x7	T8
T90-D50-05-22R-APK	•	50	22	6	40			
T90-D63-06-22R-APK	•	63	22	7	40			
T90-D80-07-27R-APK	•	80	27	8	50			


T90-APK



Обозначение	Склад	Размеры						Режущая пластина	Винт	Ключ
		D	Z	L	d	L1				
T90-D12-12-27-100-1-APK	•	12	1	100	12	27	APKT1003	TC060 M2,5x 5,5	T8	
T90-D14-14-27-100-1-APK	•	14	1	100	14	27				
T90-D16-16-35-100-2-APK	•	16	2	100	16	35				
T90-D18-16-30-100-2-APK	•	18	2	100	16	30				
T90-D20-20-30-100-3-APK	•	20	3	100	20	30				
T90-D22-20-30-100-3-APK	•	22	3	100	20	30		TC063 M2,5x7		
T90-D25-25-35-100-3-APK	•	25	3	100	25	35				
T90-D30-25-35-100-4-APK	•	30	4	100	25	35				
T90-D32-25-35-100-4-APK	•	32	4	100	25	35				
T90-D35-25-35-100-4-APK	•	35	4	100	25	35				
T90-D40-25-35-100-5-APK	•	40	5	100	25	35				


Обозначение	Склад	Размеры					Режущая пластина 	Винт 	Ключ 
		D	Z	L	d	L1			
T90-D12-12-27-120-1-APK	•	12	1	120	12	27	APKT1003	TC060 M2,5x 5,5	T8
T90-D14-14-27-120-1-APK	•	14	1	120	14	27			
T90-D16-16-40-120-2-APK	•	16	2	120	16	40			
T90-D18-16-40-120-2-APK	•	18	2	120	16	40			
T90-D20-20-40-120-3-APK	•	20	3	120	20	40			
T90-D22-20-40-120-3-APK	•	22	3	120	20	40			
T90-D25-25-40-120-3-APK	•	25	3	120	25	40			
T90-D30-25-40-120-4-APK	•	30	4	120	25	40			
T90-D32-25-40-120-4-APK	•	32	4	120	25	40			
T90-D35-25-40-120-4-APK	•	35	4	120	25	40			
T90-D40-25-40-120-5-APK	•	40	5	120	25	40			
T90-D16-16-50-150-2-APK	•	16	2	150	16	50			
T90-D18-16-45-150-2-APK	•	18	2	150	16	45			
T90-D20-20-60-150-3-APK	•	20	3	150	20	60			
T90-D22-20-60-150-3-APK	•	22	3	150	20	60			
T90-D25-25-60-150-3-APK	•	25	3	150	25	60			
T90-D30-25-60-150-4-APK	•	30	4	150	25	60			
T90-D32-32-45-150-4-APK	•	32	4	150	32	45			
T90-D16-16-60-200-2-APK	•	16	2	200	16	60			
T90-D18-16-60-200-2-APK	•	18	2	200	16	60			
T90-D20-20-70-200-3-APK	•	20	3	200	20	70			
T90-D22-20-70-200-3-APK	•	22	3	200	20	70			
T90-D25-25-60-200-3-APK	•	25	3	200	25	65			
T90-D30-25-50-200-4-APK	•	30	4	200	25	50			
T90-D32-32-60-200-4-APK	•	32	4	200	32	60			
T90-D16-16-70-250-2-APK	•	16	2	250	16	70			
T90-D20-20-70-250-3-APK	•	20	3	250	20	70			
T90-D25-25-70-250-3-APK	•	25	3	250	25	70			

T90-APK



Обозначение	Склад	Размеры					Режущая пластина	Винт	Ключ
		D	Z	K	d	L			
T90-D20-20-28-120-6-APK	•	20	6	28	20	120	 APKT1003	 TC063 M2,5x7	 T8
T90-D25-25-37-120-8-APK	•	25	8	37	25	120			
T90-D32-32-46-120-15-APK	•	32	15	46	32	120			
T90-D40-32-55-125-18-APK	•	40	18	55	32	125			
T90-D20-20-28-150-6-APK	•	20	6	28	20	150			
T90-D25-25-37-150-8-APK	•	25	8	37	25	150			
T90-D32-32-46-150-15-APK	•	32	15	46	32	150			
T90-D40-32-55-150-18-APK	•	40	18	55	32	150			
T90-D20-20-28-200-6-APK	•	20	6	28	20	200			
T90-D25-25-37-200-8-APK	•	25	8	37	25	200			
T90-D32-32-46-200-15-APK	•	32	15	46	32	200			
T90-D40-32-55-200-18-APK	•	40	18	55	32	200			

T90-APK




Обозначение	Склад	Размеры						Режущая пластина	Винт	Ключ
		D	Z	M	L	L1	L2			
T90APK-D16-M8-25-2-APK	•	16	2	M08	41	25	16	APKT1003	TC063 M2,5x7	T8
T90APK-D20-M10-33-3-APK	•	20	3	M10	55	33	17			
T90APK-D25-M12-33-3-APK	•	25	3	M12	55	33	22			
T90APK-D32-M16-36-4-APK	•	32	4	M16	60	36	24			
T90APK-D35-M16-36-4-APK	•	35	4	M16	60	36	24			
T90APK-D40-M16-36-5-APK	•	40	5	M16	60	36	24			
T90APK-D42-M16-36-5-APK	•	42	5	M16	60	36	24			

Пластина	Подача, мм/зуб	Обозначение	Сплав	
			TU6065	TU6030
	0,08-0,3	APKT100308PDTR	•	
	0,08-0,3	APKT100308PDSR		•
	0,08-0,3	APKT1003PDTR	•	•
	0,08-0,3	APKT1003PDSR		•

Сплав	Скорость резания, м/мин			
	P	M	K	S
TU6065	140-220	120-200	140-220	25-45
TU6030	90-160	70-140		20-40




T90-APK



Обозначение	Склад	Размеры					Режущая пластина	Винт	Ключ
		D	Z	K	d	L			
T90-D32-32-43-125-6-APK	●	32	6	43	32	125	APKT1604	TC074 M4x10	T15
T90-D40-32-43-125-9-APK	●	40	9	43	32	125			
T90-D32-32-58-150-8-APK	●	32	8	58	32	150			
T90-D40-32-58-150-12-APK	●	40	12	58	32	150			
T90-D32-32-58-200-8-APK	●	32	8	58	32	200			
T90-D40-32-58-200-12-APK	●	40	12	58	32	200			


T90-APK



Обозначение	Склад	Размеры					Режущая пластина	Винт	Ключ
		D	Z	K	d	L			
T90-D63-32-75-100-20-APK	●	63	20	75	32	100	APKT1604	TC074 M4x10	T15
T90-D80-32-75-100-25-APK	○	80	25	75	32	100			
T90-D100-32-75-100-30-APK	○	100	30	75	32	100			




T90-APK





Обозначение	Склад	Размеры							Режущая пластина	Винт	Ключ	
		d	D	K	d2	d3	L	L1				Z
T90-35-50.5-15-APK	•	35	50,5	15°	22	45	60	30	6	APKT1604	TC074 M4x10	T15
T90-35-65-30-APK	•	35	65	30°	27	48	50	26,3	6			
T90-35-76-45-APK	•	35	76	45°	27	60	50	21,5	6			
T90-35-86-60-APK	•	35	86	60°	27	60	50	15	6			
T90-35-94-75-APK	•	35	94	75°	27	60	50	8,5	6			

T90-APK



Обозначение	Склад	Размеры						Режущая пластина	Винт	Ключ
		D	Z	M	L	L1	L2			
T90-D25-M12-33-55-2-APK	•	25	2	M12	55	33	22	APKT1604	TC074 M4x10	T15
T90-D32-M16-36-60-3-APK	•	32	3	M16	60	36	24			
T90-D35-M16-36-60-3-APK	•	35	3	M16	60	36	24			
T90-D40-M16-36-60-4-APK	•	40	4	M16	60	36	24			
T90-D42-M16-36-60-4-APK	•	42	4	M16	60	36	24			

Пластина	Подача, мм/об	Обозначение	Сплавы			
			TU6030	TU9230	TU8155	TU1025
	0.08-0.3	APKT113502PDFR-G2				○
	0.08-0.3	APKT113504PDFR-G2				●
	0.08-0.3	APKT113508PDFR-G2				○
	0.08-0.3	APKT160408PDFR-G2				●
	0.08-0.3	APKT160412PDFR-G2				○
	0.08-0.3	APKT113504R-MP			●	
	0.08-0.3	APKT113508R-MP			●	
	0.08-0.3	APKT160408R-MP			●	
	0.08-0.3	APKT160412R-MP			○	
	0.08-0.3	APKT160416R-VPM			○	
	0.1-0.35	APMT1135PDER-H2	●	●		
	0.08-0.3	APMT1135PDER-M2	●	●		
	0.08-0.3	APMT1135PDER-PM	○		●	
	0.08-0.3	APMT1604PDER-M2	●	●		
	0.1-0.35	APMT1604PDER-H2	●	●		
	0.08-0.3	APMT1604PDER-PM	●			

Сплав	Скорость резания, м/мин				
	P	M	K	S	N
TU6030	180-280	100-150		20-70	
TU9230	120-200	80-180		30-80	
TU8155	120-220				
TU1025					150-300

